RESISTANCE WARNING

For insecticide resistance management BELACRON 100 WP INSECTICIDE is a Group 1B insecticide. Some naturally occurring insect high pressistant to BELACRON 100 WP INSECTICIDE and other Group 1B insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population of BELACRON 100 WP INSECTICIDE or other Group 1B insecticides are used repeatedly. The effectiveness of BELACRON 100 WP INSECTICIDE on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use Begagri SA accepts no liability for any losses that may result from the failure of BELACRON 100 WP INSECTICIDE to control resistant insects

BELACRON 100 WP INSECTICIDE may be subjected to specific resistance management strategies. For further information contact your local supplier. Pacific Biologics Ptv Limited representative or local agricultural department agronomist.

PRECAUTIONS

CALITION

DO NOT SPRAY PEOPLE, FOOD, FOOD UTENSILS OR PLACES WHERE FOOD IS PREPARED OR STORED. BEFORE USE - REMOVE OR COVER ALL EXPOSED FOOD STUFFS : COVER ALL DISHES AND UTENSILS AND PLACES WHERE FODD IS PREPARED OR STORED, VENTILATE TREATED BOOMS OR BUILDINGS AND ALLOW TREATED SURFACES TO DRY BEFORE RE-OCCUPYING IN ABATTORS DO NOT USE IN AREAS WHERE EDIBLE PRODUCT IS PREPARED OR STORED

RF-FNTRV

Do not enter treated areas until the spray had dried, unless wearing cotton overalls buttoned to the neck and wrist (or equivalent clothing) and chemical resistant gloves. Clothing must be laundered after each day's use.

PROTECTION OF LIVESTOCK

DO NOT place the product in location which are accessible to domestic animals, livestock or birds.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS, ENVIRONMENT

Very toxic to aquatic life. DO NOT contaminate wetlands or watercourses with this product or used containers.

STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool and well ventilated area out of direct sunlight. Single rinse before disposal, Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. Puncture and bury empty bags in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty bags and product should not be burnt.

SAFETY DIRECTIONS

Harmful if inhaled. May irritate the eyes, Repeated exposure may cause allergic disorders, Sensitive workers should use protective clothing. Repeated minor exposure may have a cumulative poisoning effect. Avoid contact with eyes. Do not inhale dust or spray mist. When preparing the product for use, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and elbow-length chemical resistant gloves. When using the prepared spray, wear cotton overalls, over normal clothing, buttoned to the neck and wrist, and a washable hat, elbow-length chemical resistant gloves and a disposable mist face mask covering mouth and nose. If applying by paintbrush, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and elbow-length chemical resistant gloves. After use, and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre, Phone Australia 131126; New Zealand 0800 764 766

MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet which can be obtained from your supplier.

EXCLUSION OF LIABILITY

This product must be used strictly as directed, and in accordance with all instructions appearing on the label and in other reference material. So far as it is lawfully able to do so. Pacific Biologics Pty Limited accepts no liability or responsibility for loss or damage arising from failure to follow such directions and instructions.

POISON

KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING



ACTIVE CONSTITUENT 100 g/kg AZAMETHIPHOS (Azamethiphos is an anticholinesterase compound)



For the control of nuisance flies in cowsheds, stables, piggeries, poultry sheds and other livestock houses as per the directions for use.

Net content: 500 q

DIRECTIONS FOR USE: RESTRICTIONS:

DO NOT USE IN A KNAPSACK ON BACK OF USER

DO NOT PREPARE MORE THAN 250 G PRODUCT FOR THE PAINT APPLICATION PER DAY.

DO NOT APPLY TO ANIMAL HOUSING WHEN ANIMALS ARE PRESENT.

DO NOT CONTAMINATE ANIMAL FEEDSTUFES AND DRINKING WATER.

SITUATION	PEST	RATE Per L water	CRITICAL COMMENTS
Before use: Remove animals, remove or cover all feed, feed troughs, water troughs, and milking equipment. After use: ventilate treated area. Clean up thoroughly before allowing re-entry of animals.			
Cowsheds, stables, piggeries, poultry sheds and other livestock houses	Flies	Spray: Mix 250 g of product with 2L of lukewarm water.	Applied using a low-pressure hand wand sprayer. Spray surfaces on which files are likely to settle, eg warm and sunny wall areas, stall walls, windows. 250 g of BELACRON 100 WP INSECTICIDE is sufficient to treat a building of approx. 100 m2 floor area or 200 m² wall area, of which approx. only 30% or 60 m² should be treated directly.
	Flies - Bait treat- ment	Paint: Mix 250 g of product with 200 mL of lukewarm water to make a brushable paint.	Paint strips of 5 cm x 30 cm where flies congregate, e.g. warm wall areas, partitions, posts, milk pipes, etc. Where insufficient space is available for painting or where slight discolouration would be unacceptable, paint strips of cardboard, polyethylene or light boards and hang them from the ceiling.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIODS: NOT REQUIRED WHEN USED AS DIRECTED.

GENERAL INSTRUCTIONS

Paint application: Mix 250 g of product with 200 ml of lukewarm water, mixwell until it forms a paste sufficiently liquid that it can be applied with a paint brush. This amount should be used for paint stripes covering approximately 10-12 square meters in total area

If insufficient surface area is available or where some light discolouration would be unacceptable, paint the solutions onto pieces of cardboard or with wood and hang from the ceiling.

Spray application: mix 250 g of product with 2 litres of lukewarm water and apply diluted product by spray to 60 square metres of surface. Apply spray mixture to just below the point of run-off. If the mixture is allowed to stand, stir well before using.

NOTE: Once dry, the spray mixture may leave a visible deposit on dark or shiny surfaces. Test prior to treatment. Use in dry conditions may require a light application of water to keep the applied surface moist and attractive to flies, DO NOT apply to run-off.





ENVIRONMENTALLY HAZARDOUS SUBSTANCE. SOLID. N.O.S. (Contains Azamethiphos) **UN 3077**

APVMA Approval nº : 86280 / 115231 Batch number, Manufacture date, Exp date : see packaging



Pacific BioLogics Pacific Biologics Pty Ltd

Ph: 07 3283 5077 • Fay: 07 3283 5088 Rue des Tuiliers 1 B-4480 FNGIS - Belgiun Ph: +32 85 519 519 belgagri@belgagri.com

www.nacifichiologics.com.au IN A TRANSPORT EMERGENCY DIAL 000

POLICE OR FIRE BRIGADE